

# A Guide to Garden Dragonflies in June and July



Registered charity England & Wales No 1168300, Scotland SC049416 Images © Brian Walker

British Dragonfly Society is working to increase public understanding and awareness of dragonflies, their conservation and the challenges they face, in order to increase action for dragonflies across Britain.

## Damselflies

Damselflies are smaller and more delicate than dragonflies.

They rest with wings folded over their bodies and have eyes separated on either side of their head.

### Blue-tailed Damselfly

This is a common species which stands out as having a blue segment at the end of its otherwise dark coloured abdomen.

The thorax is blue in the male.

The female occurs in a number of different colour forms in which the thorax may be blue, green, brown or pink with one form having a brown segment at the end of the abdomen rather than the usual blue.


Male— one form of female looks similar



Female – the brightest colour form



Female—form which does not have a blue segment at the end of the abdomen



Male



### Azure Damselfly

This is the most frequent of the blue damselflies to be found in a garden.

Immature males tend to have whitish markings in place of the blue, particularly on the thorax.

The identification of the males depends on the black mark at the top of the abdomen, which is a "U" shaped mark in this species as illustrated.

Females are easier to distinguish from Common Blue Damselfly which is the other blue damselfly likely to occur in a garden. See the picture below. There is a form of the female which has blue markings.

Female



### Common Blue Damselfly

This lives up to its name; it is common and can be found in very large numbers but generally at larger lakes than a typical garden pond. However, they do occur at garden ponds and may visit a garden from a larger lake nearby.

The mark at the top of the abdomen in the male is a round dot joined to the black line at the end of the segment

The female is normally duller but there is a much more distinctive blue form.

Male



Female



## Dragonflies

Dragonflies are larger than damselflies and stronger fliers.

They rest with their wings spread out from their bodies and their eyes meet at the centre line of their heads.

The three species most likely to be seen in gardens in spring are illustrated, but being stronger fliers, dragonflies wander further and other species might be seen at a location some way from their normal habitat.

### Golden-ringed Dragonfly

This dragonfly is found near fast-flowing burns where it breeds and is one frequently spotted by hillwalkers.

It's easy to identify as it is black with golden stripes and bright green eyes.

It can be seen perching vertically.



### **Four-spotted Chaser**

This species gets its name from the dark markings on the leading edge of its wings. The male and the female look very similar. In contrast to the Broad-bodied Chaser this species is not very territorial and several may be seen together at a larger pond. It does look superficially similar to female Broad-bodied Chaser but the four wing spots distinguish it.



### **Common Darter**

Common Darter lives up to its name being widespread and occurring in fairly large numbers. Mature males are an orange red colour while immature males and females are yellow-brown. The legs are yellow and black in both sexes which distinguishes this species from Ruddy Darter where they are a sooty black. Common Darters will usually perch with their body horizontal on a plant or twig as illustrated.

