ABBROOK POND 2017-2026: Possible Priority Site of Local Importance CURRENT STATUS UNCERTAIN

A small, tree-fringed, old Bovey Basin clay pit pond near Kingsteignton, used for angling. Formerly held breeding Red-eyed Damselfly (possibly still breeding) and occasional Hairy Dragonfly and Downy Emerald. Last updated: 28/03/2025

| | 40 | 07 40 | 00 | | | | | | | | | |
|----------------------------|-----------------------------|-------|-------|-----------------------------|------|-------|-----------------------------|------|---|---------|------|-------|
| Site: ABBROOK POND | 1987-1996 Breeding Other | | | 1997-2006 Breeding Other | | | 2007-2016 Breeding Other | | | 2017-20 | | - |
| Grid ref.: SX863744 | | | Other | | | Other | | | | | | Other |
| | Succ | Poss | | Succ | Poss | | Succ | Poss | | Succ | Poss | |
| Damselflies | | | | | | | | | | | | |
| Beautiful Demoiselle | | | В | | | A | | | | | | |
| Banded Demoiselle | | | | | | | | | | | | |
| Emerald Damselfly | | | | | | | | | | | | |
| White-legged Damselfly | | | | | | | | | | | | |
| Large Red Damselfly | Α | | Α | | В | В | | | | | | |
| Blue-tailed Damselfly | В | | С | | | В | | | | | | С |
| Scarce Blue-t Damselfly | | | | | | | | | | | | |
| Common Blue Damselfly | В | С | D | Α | | В | В | | С | | | D |
| Southern Damselfly | | | | | | | | | | | | |
| Azure Damselfly | | | D | | А | С | | | | | | |
| Red-eyed Damselfly | Α | В | D | | | | | | | | | В |
| Small Red-eyed Damselfly | | | | | | | | | | С | Α | D |
| Small Red Damselfly | | | | | | | | | | | | |
| Dragonflies | | | | | | | | | | | | |
| Hairy Dragonfly | | | Α | | | | | | | | | |
| Common Hawker | | | | | | | | | | | | |
| Norfolk Hawker | | | | | | | | | | | | |
| Brown Hawker | | | | | | | | | | | | |
| Southern Hawker | | | | | | Α | | | | | | |
| Migrant Hawker | | | | | | В | | | | | | |
| Emperor Dragonfly | В | | В | | | | | | | | | В |
| Lesser Emperor | | | | | | | | | | | | |
| Vagrant Emperor | | | | | | | | | | | | |
| Golden-ringed Dragonfly | | | Α | | | | | | | | | |
| Downy Emerald | | | В | | | | | | | | | |
| Broad-bodied Chaser | | | Α | | | | | | | | | |
| Scarce Chaser | | | | | | | | | | | | |
| Four-spotted Chaser | | | | | | А | | | | | | |
| Keeled Skimmer | | | | | | | | | | | | |
| Black-tailed Skimmer | | | | | | | | | | | | |
| Common Darter | | | В | | | | | | | | | |
| Red-veined Darter | | | - | | | | | | | | | |
| Ruddy Darter | | | | | | | | | | | | |
| Black Darter | | | | | | | | | | | | |
| Yellow-winged Darter | | | | | | | | | | | | |
| Scarlet Darter | | | | | | | | | | | | |
| Total species in category: | 5 | 2 | 12 | 1 | 2 | 8 | 1 | 0 | 1 | 1 | 1 | 5 |

Bold underlined = nationally important species Bold black = important species

Succ = Successful breeding (exuvia(e) and/or larva(e) and/or pre-flight emergent and/or oviposition); Poss = Possible breeding (copulating pair); Other = Adult(s) or unspecified. Abundance codes: A=1; B=2-5; C=6-20; D=21-100; E=100-500; F=>500; + = no count.

Priority Species History

Red-eyed Damselfly – C adults in 1990, >25 adults on 22/5/92, including copulating pairs and one pair ovipositing. In 1995, 12 adults, with one pair ovipositing. Only 4 males seen on 22/7/18 and none on 19/7/24 (but lack of public access, so viewing from road through trees). **Hairy Dragonfly** – recorded in 1982 and on 1994.

Downy Emerald – recorded in 1982; three territorial males in 1992.

Habitat (from 1995 survey)

Pond set amongst broad-leaved woodland. Banks nearly 100% fringed by mature trees, most overhanging. Occasional anglers' 'swims' provide patches of bare ground, around which the very few emergents (*Iris pseudacorus* and *Juncus effusus*) occur. There are two large patches of *Nymphaea alba*; large areas of *Myriophyllum*, *Ceratophyllum* and algae provide submerged and additional floating vegetation. Large carp present. Water cloudy on 23/5/95, but fairly clear by 12/7/95. Detritus and dead leaves on shallowly shelving banks. *p*H: 8.0 (22/5/92); 8.4 (20/7/95). Conductivity: 370 μ S/cm (4/8/95). Ugbrooke Stream overshadowed by mature trees (dappled sun <5%). Gravelly base with silty patches, fast flow.

| Status | Area |
|--------|--------|
| None. | 1.5 ha |

Local Authority: Teignbridge DC

Owner/tenant

WBB Minerals, leased to Exeter and District Angling Association.

Threats

- Overstocking with fish.
- Turbidity.

Management suggestions

 Cut some clearings along pond edges, either short rotation coppice or permanent clearings, to encourage emergent plants; maintain free from trampling.



Dave Smallshire, 22/07/2018

Abbrook Pond map from 1995 survey

