BRAUNTON MARSH

2017-2026: Confirmed Priority Site of National Importance

Successful breeding of Scarce Chaser, first detected in 2022; presence of Hairy Dragonfly.

Last updated: 28/03/2025

Site: BRAUNTON MARSH	19	87-19	96	1997-2006			2007-2016			2017-2026		
Grid ref.: SS4734; SS4834				Breedin						Breeding		
		Poss	0		Poss			Poss	-		Poss	
Damselflies												
Beautiful Demoiselle												
Banded Demoiselle												
Emerald Damselfly						С						
White-legged Damselfly												
Large Red Damselfly												Α
Blue-tailed Damselfly			+		В	С				+	+	D
Scarce Blue-t Damselfly												
Common Blue Damselfly						С						
Southern Damselfly												
Azure Damselfly			+	Α	С	D				+	+	D
Red-eyed Damselfly												
Small Red-eyed Damselfly												
Small Red Damselfly												
Dragonflies												
Hairy Dragonfly												В
Common Hawker												
Norfolk Hawker												
Brown Hawker												
Southern Hawker												
Migrant Hawker												
Emperor Dragonfly				Α		С				Α		С
Lesser Emperor												
Vagrant Emperor												
Golden-ringed Dragonfly												
Downy Emerald												
Broad-bodied Chaser						Α						
Scarce Chaser										Α	В	С
Four-spotted Chaser				С	Α	С						Α
Keeled Skimmer												
Black-tailed Skimmer												
Common Darter						С						
Red-veined Darter												
Ruddy Darter	В		В									
Black Darter												
Yellow-winged Darter												
Scarlet Darter												
Total species in category:	1	0	3	3	3	8	0	0	0	4	3	7

<u>Bold underlined = nationally important species</u> Bold black = important species Succ = Successful breeding (exuvia(e) and/or larva(e) and/or pre-flight emergent and/or oviposition);

Poss = Possible breeding (copulating pair); Other = Adult(s) or unspecified.

Abundance codes: A=1; B=2-5; C=6-20; D=21-100; E=101-500; F=>500; + = no count.

Priority Species History

Hairy Dragonfly - 2 on 11/5/24.

Scarce Chaser – 1 at SS47513404 on 27/5/22 and C (6-20) on 3/6/22, with B in cop., at SS48183482; these are roadside locations, suggesting that the species may be more widespread in suitable ditches. (4 'females' in willow scrub on the edge of Braunton Burrows on 2/6/23 had possibly dispersed from Braunton Marsh.) Six, including 1 egg-laying, on 4/7/24. **Ruddy Darter** – B (2-5) larvae found on 12/9/96. (Warning: this species is extremely difficult to differentiate from the larva of Common Darter).

Habitat

Ditches in coastal grazing marsh (site of Braunton Great Field, a rare example of extant open field system).

StatusHistoric Environment Register

Area
142 ha

Local Authority: North Devon DC

Owner/tenant

Various?

Threats

• Inappropriate ditch management

Management suggestions

 Retain areas of emergent vegetation, at least in ditches where Scarce Chaser has been found.

